Neuroscience Letters, 226 (1997) 214–217
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abe, K., Setoguchi, Y., Hayashi, T., Itoyama, Y., Dissociative expression of adenoviral-mediated *E. coli* LacZ gene between ischemic and reperfused rat brains, 53
Adroer, R., López-Acedo, C., Oliva, R., Conserved elements in the 5′ regulatory region of the amyloid precursor protein gene in primates, 203
Aftanas, L.I., Lotova, N.V., Koshkarov, V.I., Pokrovskaja, V.L., Popov, S.A., Makhnev, V.P., Non-linear analysis of emotion EEG: calculation of Kolmogorov entropy and the principal Lyapunov exponent, 13
Alberts, G.L., see Pregenzer, J.F., 91
Algotsson, A., see Garlind, A., 37
Alho, K., see Tervaniemi, M., 1
Angstwurm, K., see Weber, J.R., 17

Bai, X.-F., see Xiao, B.-G., 71
Başkaya, M.K., Rao, A.M., Doğan, A., Donaldson, D., Dempsey, R.J., The biphasic opening of the blood–brain barrier in the cortex and hippocampus after traumatic brain injury in rats, 33
Bell, T.D., Pereda, A.E., Faber, D.S., Nitric oxide synthase distribution in the goldfish Mauthner cell, 187
Benazzouz, A., see Bioulac, B., 21
Bentura, M.L., see Esteban, F.J., 99
Béraud, P., Gahéry, Y., Posturo-kinetic effects on kicking movements of a lack of initial ground support under the moving leg, 5
Bileviciute, I., Theodorsson, E., Lundeberg, T., Effects of histamine on neuropeptide release into the knee joint perfusate and cerebrospinal fluid in rats, 9
Bioulac, B., Benazzouz, A., Burbaud, P., Gross, Ch., Chronic administration of DL-allyl-glycine into the neostriatum, disorganises the firing modes of the nigral dopaminergic neurons in the rat, 21
Birbaumer, N., see Lutzenberger, W., 167
Bizot-Espiard, J.-G., see Shima, T., 119
Blennow, K., see Minthon, L., 65
Blunk, J., see Schmelz, M., 171
Brandeis, D., see Kondakor, I., 49
Burbaud, P., see Bioulac, B., 21
Bürger, W., see Weber, J.R., 17
Burlet, S., Cespuglio, R., Voltammetric detection of nitric oxide (NO) in the rat brain: its variations throughout the sleep-wake cycle, 131
Busquets, X., see García-Sevilla, J.A., 29
Bustini, M., see Rossi, A., 87

Cabezas-Herrera, J., see Moral-Naranjo, M.T., 45
Campoy, F.J., see Moral-Naranjo, M.T., 45
Casacchia, M., see Rossi, A., 87
Cespuglio, R., see Burlet, S., 131
Chun, S.-J., see Shima, T., 119
Cobbett, P., see Ramsell, K.D., 41
Cowburn, R.F., see Garlind, A., 37
Czachurski, J., see Seller H., 195

Daneluzzo, E., see Rossi, A., 87
Delorenzi, A., Locatelli, F., Romano, A., Nahmod, V., Maldonado, H., Angiotensin II (3–8) induces long-term memory improvement in the crab *Chasmagnathus*, 143
Delpierre, S., Jammes, Y., $GABA_B$ receptor blockade reduces resistive loading-induced hypoventilation in anesthetized rabbits, 83
Dempsey, R.J., see Başkaya, M.K., 33
Dickson, D.W., sée Ming Li, Y., 155
Dirnagl, U., see Weber, J.R., 17
Doğan, A., see Başkaya, M.K., 33
Dömges F., see Fellows S., 103
Donaldson, D., see Başkaya, M.K., 33
Dršata, J., see Netopilová, M., 68

Eder, C., Klee, R., Heinemann, U., Distinct soluble astrocytic factors induce expression of outward K^+ currents and ramification of brain macrophages, 147
Eguchi, K., see Nakayama, Y., 179
Eifuku, S., see Nishijo, H., 57
Einhäupl, K.M., see Weber, J.R., 17
Elliott, J.R., see Rush, A.M., 95
Endo, Y., see Takei, N., 207
Englund, E., see Minthon, L., 65
Esteban, F.J., Pedrosa, J.A., Jiménez, A., Fernández, A.P., Bentura, M.L., Martínez-Murillo, R., Rodrigo, J., Peinado, M.A., Distribution of neuronal nitric oxide synthase in the rat liver, 99

Faber, D.S., see Bell, T.D., 187
Fandrey, J., see Kiprianova, I., 75
Fellows S., Schwarz M., Schaffrath C., Dömges F., Noth J., Disturbances of precision grip in Huntington's disease, 103
Fernández, A.P., see Esteban, F.J., 99
Flor, H., see Lutzenberger, W., 167
Frei, E., see Kondakor, I., 49
French, E.D., Δ^9-Tetrahydrocannabinol excites rat VTA dopamine neurons through activation of cannabinoid CB1 but not opioid receptors, 159
Fujikawa, D.G., Effects of *N*-methyl-D-aspartate-receptor blockade on high-potassium-induced neuronal death and glutamate release, 25
Fukumitsu, H., see Nitta, A., 115
Furukawa, S., see Nitta, A., 115

Gahéry, Y., see Béraud, P., 5
García-Sevilla, J.A., Ventayol, P., Busquets, X., La Harpe, R., Walzer, C., Guimón, J., Regulation of immunolabelled μ-opioid receptors and protein kinase C-α and ζ isoforms in the frontal cortex of human opiate addicts, 29
Garlind, A., Johnston, J.A., Algotsson, A., Winblad, B., Cowburn, R.F., Decreased β-adrenoceptor-stimulated adenylyl cyclase activity in lymphocytes from Alzheimer's disease patients, 37
Gerrits, P.O., Sie, J.A.M.L., Holstege, G., Motoneuronal location of the external urethral and anal sphincters: a single and double labeling study in the male and female golden hamster, 191
Gross, Ch., see Bioulac, B., 21
Grundemar, L., see Wang, Z-Y., 151
Guardiola-Lemaitre, B., see Shima, T., 119

Guimón, J., see García-Sevilla, J.A., 29
Gustafson, L., see Minthon, L., 65

Håkanson, R., see Wang, Z-Y., 151
Handwerker, H.O., see Schmelz, M., 171
Hatanaka, H., see Takei, N., 207
Haugvicová, R., see Netopilová, M., 68
Hayashi, T., see Abe, K., 53
Heinemann, U., see Eder C., 147
Heinricher, M.M., see Roychowdhury, S.M., 136
Hesse, C., see Minthon, L., 65
Höfner, G., Wanner, K.Th., Characterisation of the binding of [^{3}H]MDL 105,519, a radiolabelled antagonist for the *N*-methyl-D-aspartate-associated glycine site, to pig cortical brain membranes, 79
Holstege, G., see Gerrits, P.O., 191
Hosokawa, M., see Shima, T., 119
Hrabetova, S., Sacktor, T.C., Long-term potentiation and long-term depression are induced through pharmacologically distinct NMDA receptors, 107
Huang, W., see Le Grevès, P., 61

Ilvonen, T., see Tervaniemi, M., 1
Im, W.B., see Pregenzer, J.F., 91
Imai, H., see Kojima, J., 111
Inase, M., see Kojima, J., 111
Itoyama, Y., see Abe, K., 53
Iwafune, A., see Yamamoto, T., 127

Jacque C., see Tchélingérian, J-L., 175
Jammes, Y., see Delpierre, S., 83
Jiménez, A., see Esteban, F.J., 99
Johansson, P., see Le Grevès, P., 61
Johnston, J.A., see Garlind, A., 37

Kamiya, H., see Nakayama, Y., 179
Karma, K., see Tervaniemi, M., 1
Kataoka, H., see Nitta, A., 115
Kato, Y., see Nishiki, M., 199
Kiprianova, I., Schwab, S., Fandrey, J., Spranger, M., Suppression of the oxidative burst in murine microglia by nitric oxide, 75
Klee, R., see Eder C., 147
Kochi, K., see Kondakor, I., 49
Koenig, T., see Kondakor, I., 49
Kojima, J., Yamaji, Y., Matsumura, M., Nambu, A., Inase, M., Tokuno, H., Takada, M., Imai, H., Excitotoxic lesions of the pedunculopontine tegmental nucleus produce contralateral hemiparkinsonism in the monkey, 111
Kondakor, I., Brandeis, D., Wackermann, J., Kochi, K., Koenig, T., Frei, E., Pascual-Marqui, R.D., Yagyu, T., Lehmann, D., Multichannel EEG fields during and without visual input: frequency domain model source locations and dimensional complexities, 49
Koshimura, K., see Nishiki, M., 199
Koshkarov, V.I., see Aftanas, L.I., 13
Kubová, H., see Netopilová, M., 68
Kunimoto, M., Suzuki, T., Migration of granule neurons in cerebellar organotypic cultures is impaired by methylmercury, 183
Kuramoto, H., see Takei, N., 207

La Harpe, R., see García-Sevilla, J.A., 29
Le Grevès, P., Huang, W., Johansson, P., Thörnwall, M., Zhou, Q., Nyberg, F., Effects of an anabolic-androgenic steroid on the regulation of the NMDA receptor NR1, NR2A and NR2B subunit mRNAs in brain regions of the male rat, 61
Le Saux, F., see Tchélingérian, J-L., 175
Lehmann, D., see Kondakor, I., 49
Lindauer, U., see Weber, J.R., 17
Link, H., see Xiao, B.-G., 71
Locatelli, F., see Delorenzi, A., 143
Longo, B.M., Mello, L.E.A.M., Blockade of pilocarpine- or kainate-induced mossy fiber sprouting by cycloheximide does not prevent subsequent epileptogenesis in rats, 163
López-Acedo, C., see Adroer R., 203
Lotova, N.V., see Aftanas, L.I., 13
Lundeberg, T., see Bileviciute, I., 9
Lutzenberger, W., Flor, H., Birbaumer, N., Enhanced dimensional complexity of the EEG during memory for personal pain in chronic pain patients, 167

Makhnev, V.P., see Aftanas, L.I., 13
Maldonado, H., see Delorenzi, A., 143
Mareš, P., see Netopilová, M., 68
Martínez-Murillo, R., see Esteban, F.J., 99
Matsumura, M., see Kojima, J., 111
Mattei, P., see Rossi, A., 87
Mello, L.E.A.M., see Longo, B.M., 163
Migita, K., see Nakayama, Y., 179
Ming Li, Y., Dickson, D.W., Enhanced binding of advanced glycation endproducts (AGE) by the ApoE4 isoform links the mechanism of plaque deposition in Alzheimer's disease, 155
Minthon, L., Hesse, C., Sjögren, M., Englund, E., Gustafson, L., Blennow, K., The apolipoprotein E ϵ4 allele frequency is normal in fronto-temporal dementia, but correlates with age at onset of disease, 65
Monstein, H-J., see Wang, Z-Y., 151
Moral-Naranjo, M.T., Cabezas-Herrera, J., Campoy, F.J., Vidal, C.J., Glycosylation of cholinesterase forms in brain from normal and dystrophic *Lama2*^{dy} mice, 45
Murakami ,Y., see Nishiki, M., 199
Muroya, S., see Shioda, S., 210

Näätänen, R., see Tervaniemi, M., 1
Nagai, K., see Shima, T., 119
Nahmod, V., see Delorenzi, A., 143
Nakai, Y., see Shioda, S., 210
Nakayama, Y., Takano, Y., Eguchi, K., Migita, K., Saito, R., Tsujimoto, G., Kamiya, H., Modulation of the arterial baroreceptor reflex by the vasopressin receptor in the area postrema of the hypertensive rats, 179
Nambu, A., see Kojima, J., 111
Netopilová, M., Držata, J., Haugvicová, R., Kubová, H., Mareš, P., Inhibition of glutamate decarboxylase activity by 3-mercaptopropionic acid has different time course in the immature and adult rat brains, 68
Niijima, A., see Shima, T., 119
Nishijo, H., Ono, T., Eifuku, S., Tamura, R., The relationship between monkey hippocampus place-related neural activity and action in space, 57

Nishiki, M., Murakami, Y., Sohmiya, M., Tanaka, J., Yamauchi, K., Koshimura, K., Kato, Y., Effects of rat galanin and galanin message associated peptide (GMAP) on rat growth hormone secretion and stimulating effect of γ-aminobutyric acid on galanin release from rat hypothalamus, 199
Nitta, A., Fukumitsu, H., Kataoka, H., Nomoto, H., Furukawa, S., Administration of corticosterone alters intracellular localization of brain-derived neurotrophic factor-like immunoreactivity in the rat brain, 115
Nomoto, H., see Nitta, A., 115
Noth J., see Fellows S., 103
Nyberg, F., see Le Grevès, P., 61

Oliva, R., see Adroer R., 203
Ono, T., see Nishijo, H., 57
Osiander, G., see Schmelz, M., 171

Pascual-Marqui, R.D., see Kondakor, I., 49
Peachey, N.S., see Stubbs Jr., E.B., 139
Pedrosa, J.A., see Esteban, F.J., 99
Peinado, M.A., see Esteban, F.J., 99
Pereda, A.E., see Bell, T.D., 187
Perlman, J.I., see Stubbs Jr., E.B., 139
Pokrovskaja, V.L., see Aftanas, L.I., 13
Popov, S.A., see Aftanas, L.I., 13
Pouzet, B., see Tchélingérian, J-L., 175
Pregenzer, J.F., Alberts, G.L., Im, W.B., Agonist-induced [^{35}S]GTPγS binding in the membranes of *Spodoptera frugiperda* insect cells expressing the human D3 dopamine receptor, 91

Ramsell, K.D., Cobbett, P., Serum uncouples elevation of cyclic adenosine monophosphate concentration from cyclic adenosine monophosphate dependent morphological changes exhibited by cultured pituicytes, 41
Rao, A.M., see Başkaya, M.K., 33
Reeh, P.W., see Schmelz, M., 171
Richardson, C.M., see Wakerley, J.B., 123
Ringkamp, M., see Schmelz, M., 171
Rodrigo, J., see Esteban, F.J., 99
Romano, A., see Delorenzi, A., 143
Rosenkranz, T., see Weber, J.R., 17
Rossi, A., Daneluzzo, E., Mattei, P., Bustini, M., Casacchia, M., Stratta, P., Wisconsin card sorting test and Stroop test performances in Schizophrenia: a shared construct, 87
Roychowdhury, S.M., Heinricher, M.M., Effects of iontophoretically applied serotonin on three classes of physiologically characterized putative pain modulating neurons in the rostral ventromedial medulla of lightly anesthetized rats, 136
Rush, A.M., Elliott, J.R., Phenytoin and carbamazepine: differential inhibition of sodium currents in small cells from adult rat dorsal root ganglia, 95

Sacktor, T.C., see Hrabetova, S., 107
Saito, R., see Nakayama, Y., 179
Sakai, N., see Yamamoto, T., 127
Sako, N., see Yamamoto, T., 127
Schaffrath C., see Fellows S., 103
Schmelz, M., Osiander, G., Blunk, J., Ringkamp, M., Reeh, P.W., Handwerker, H.O., Intracutaneous injections of platelets cause acute pain and protracted hyperalgesia, 171
Schwab, S., see Kiprianova, I., 75
Schwarz M., see Fellows S., 103
Seller, H., Czachurski, J., Zanzinger, J., Activation of chemosensitive neurons in the ventrolateral medulla by capsaicin in cats, 195
Setoguchi, Y., see Abe, K., 53
Shima, T., Chun, S.-J., Niijima, A., Bizot-Espiard, J.-G., Guardiola-Lemaitre, B., Hosokawa, M., Nagai, K., Melatonin suppresses hyperglycemia caused by intracerebroventricular injection of 2-deoxy-D-glucose in rats, 119
Shioda, S., Yada, T., Muroya, S., Takigawa, M., Nakai, Y., Noradrenaline activates vasopressin neurons via α_1-receptor-mediated Ca^{2+} signaling pathway, 210
Sie, J.A.M.L., see Gerrits, P.O., 191
Sjögren, M., see Minthon, L., 65
Sohmiya, M., see Nishiki, M., 199
Spranger, M., see Kiprianova, I., 75
Stratta, P., see Rossi, A., 87
Stubbs Jr., E.B., Perlman, J.I., Peachey, N.S., Effect of tunicamycin on histological organization and Na, K-ATPase distribution in the adult cat retina, 139
Suzuki, T., see Kunimoto, M., 183

Takada, M., see Kojima, J., 111
Takano, Y., see Nakayama, Y., 179
Takei, N., Kuramoto, H., Endo, Y., Hatanaka, H., NGF and BDNF increase the immunoreactivity of vesicular acetylcholine transporter in cultured neurons from the embryonic rat septum, 207
Takigawa, M., see Shioda, S., 210
Tamura, R., see Nishijo, H., 57
Tanaka, J., see Nishiki, M., 199
Tchélingérian, J-L., Le Saux, F., Pouzet, B., Jacque, C., Widespread neuronal expression of c-Fos throughout the brain and local expression in glia following a hippocampal injury, 175
Tervaniemi, M., Ilvonen, T., Karma, K., Alho, K., Näätänen, R., The musical brain: brain waves reveal the neurophysiological basis of musicality in human subjects, 1
Theodorsson, E., see Bileviciute, I., 9
Thörnwall, M., see Le Grevès, P., 61
Tokuno, H., see Kojima, J., 111
Tsujimoto, G., see Nakayama, Y., 179

Ventayol, P., see García-Sevilla, J.A., 29
Vidal, C.J., see Moral-Naranjo, M.T., 45

Wackermann, J., see Kondakor, I., 49
Wakerley, J.B., Richardson, C.M., The neurosteroid pregnenolone sulphate enhances NMDA-induced phasic firing of vasopressin neurones in the rat supraoptic nucleus, 123
Waldeck, K., see Wang, Z-Y., 151
Walzer, C., see García-Sevilla, J.A., 29
Wang, Z-Y., Monstein, H-J., Waldeck, K., Grundemar, L., Håkanson, R., Electroconvulsive treatment evokes release of preprotachykinin-A mRNA into the cerebrospinal fluid and ocular aqueous humor of rabbits, 151
Wanner, K.Th., see Höfner, G., 79
Weber, J.R., Angstwurm, K., Rosenkranz, T., Lindauer, U., Bürger,

W., Einhäupl, K.M., Dirnagl, U., Histamine (H1) receptor antagonist inhibits leukocyte rolling in pial vessels in the early phase of bacterial meningitis in rats, 17
Winblad, B., see Garlind, A., 37

Xiao, B.-G., Bai, X.-F., Zhang, G.-X., Link, H., Transforming growth factor-β1 induces apoptosis of rat microglia without relation to bcl-2 oncoprotein expression, 71

Yada, T., see Shioda, S., 210
Yagyu, T., see Kondakor, I., 49
Yamaji, Y., see Kojima, J., 111
Yamamoto, T., Sako, N., Sakai, N., Iwafune, A., Gustatory and visceral inputs to the amygdala of the rat: conditioned taste aversion and induction of c-*fos*-like immunoreactivity, 127
Yamauchi, K., see Nishiki, M., 199
Zanzinger, J., see Seller H., 195
Zhang, G.-X., see Xiao, B.-G., 71
Zhou, Q., see Le Grevès, P., 61